


nortpalet

2014 CATALOGUE





Optional: logo, colour, lips, material, RFID.

REPAIRABLE HALF PALLET

Product: NPT-8060-RF1

Display pallet with repairable runners, standard dimensions and high resistance and load capacity. Ideal line solution, the dimensions allow for reduced costs and increased sales, as well as special off-line promotions.

- Interchangeable runners
- Reinforced runners for roller conveyors
- Reinforced for maximum shelf safety
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 9,00 Kg. Units/Stack: 13 Units/Truck: 1.056

Measures in mm.: *1

Length	800	Width	600	Height	160
--------	-----	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	2.000	Racking	500
---------	-------	--------	-------	---------	-----



Optional: logo, colour, lips, material, RFID.

LOW HEIGHT REPAIRABLE HALF PALLET

Product: NPT-8060-RF2

Display pallet with optimized height and repairable runners. The reduction of 2cm height allows customers to add a further product layer for certain references and thereby cut the number of unit load movements. It also allows for the transportation of more empty units during reverse logistics operations.

- Interchangeable runners
- Optimized height
- Anti-slip surface
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 8,50 Kg. Units/Stack: 14 Units/Truck: 1.188

Measures in mm.: *1

Length	800	Width	600	Height	140
--------	-----	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	500	Static	1.500	Racking	500
---------	-----	--------	-------	---------	-----



Optional: logo, colour, lips, material.

LIGHTWEIGHT STACKABLE PALLET

Product: NPT-1280-LE1

Extremely lightweight, stackable European plastic pallet. Weighing just 5 kg, this is the lightest and most economical pallet in the entire range. Ideal for exporting all types of products or the bulk transportation and storage of goods. No special treatment or health certificated needed.

- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black

Weight: 5,15 Kg.
 Units/Stack: 44
 Units/Truck: 1.848

Measures in mm.: *1

Length	1.200	Width	800	Height	140
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	800	Static	1.500	Racking	--
---------	-----	--------	-------	---------	----



Optional: logo, colour, lips, material.

LIGHTWEIGHT PALLET WITH RUNNERS

Product: NPT-1280-LEP1

Lightweight European plastic pallet with runners. Ideal for exporting all types of products or the bulk transportation and storage of goods. Racking allowed. No special treatment or health certificated needed.

- Removable runners
- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 7,15 Kg.
 Units/Stack: 19
 Units/Truck: 528*3

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	800	Static	1.500	Racking	300
---------	-----	--------	-------	---------	-----

*3 Units/Truck with disassembled runners: 1.437



Optional: logo, colour, lips, material.

CLOSED LIGHTWEIGHT STACKABLE PALLET

Product: NPT-1280-LE2

Lightweight stackable European pallet with a closed surface. Totally smooth hole-free surface, ideal for semi-hygienic applications. It is 70% lighter than conventional pallets, thereby cutting transport costs and making for easier handling. No special treatment or health certificated needed.

- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black


Weight: 6,50 Kg. Units/Stack: 44 Units/Truck: 1.848

Measures in mm.: *1

Length	1.200	Width	800	Height	140
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	2.000	Racking	--
---------	-------	--------	-------	---------	----



Optional: logo, colour, lips, material.

CLOSED LIGHTWEIGHT PALLET WITH RUNNERS

Product: NPT-1280-LEP2

Lightweight European plastic pallet with closed surface and runners. Smooth hole-free surface for semi-hygienic applications. Ideal for exporting all types of products or the bulk transportation and storage of goods. Racking allowed. No special treatment or health certificated needed.

- Removable runners
- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 8,50 Kg. Units/Stack: 19 Units/Truck: 528*3

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	2.000	Racking	300
---------	-------	--------	-------	---------	-----

*3 Units/Truck with disassembled runners: 1.437



Optional: logo, colour, lips, material.

STACKABLE PALLET WITH RUNNERS

Product: NPT-1280-HE1

Stackable European plastic pallet with runners. This product is particularly recommendable for the transportation of packaged or boxed items that require high resistance and quality, as well as for cross-docking operations requiring high performance pallets. The dimensions allow for the reduction of transportation and storage costs by up to 43% in comparison with conventional pallets.

- Stackable pallet with runners
- Racking allowed
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black

Weight: 14,50 Kg. Units/Stack: 22 Units/Truck: 957

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	2.000	Racking	500
---------	-------	--------	-------	---------	-----



Optional: logo, colour, lips, material.

STACKABLE REINFORCED PALLET WITH RUNNERS

Product: NPT-1280-HEF1

Reinforced pallet for optimum shelf performance. This product is especially recommended for the handling of boxes (fruit, vegetables, meat and fish). It is also highly efficient in terms of space optimization whilst retaining maximum functionality and resistance.

- Stackable pallet with runners
- Reinforced for maximum shelf safety
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black

Weight: 16,50 Kg. Units/Stack: 22 Units/Truck: 957

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	2.000	Racking	1.000
---------	-------	--------	-------	---------	-------



Optional: logo, colour, lips, non-slip bands for goods and handling, material, RFID.

HEAVY DUTY REPAIRABLE PALLET

Product: NPT-1280-R1

Plastic pallet with standard dimensions, a high load and resistance capacity and repairable runners. It is suitable for all product categories and uses, regardless of the sector. The runners can be repaired, thereby increasing the product's life cycle, without the need for specialized staff or machinery. Ideal for reuse on logistic and storage circuits.

- Interchangeable and Reinforced runners for roller conveyors
- High Racking allowance
- Shock-absorbers on the blocks
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 18,50 Kg. Units/Stack: 13 Units/Truck: 528

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.500	Static	5.000	Racking	800
---------	-------	--------	-------	---------	-----



Optional: logo, colour, lips, non-slip bands for goods and handling, material, RFID.

HEAVY DUTY REINFORCED REPAIRABLE PALLET

Product: NPT-1280-RF1

Plastic pallet with standard dimensions, a high load and resistance capacity, repairable runners and reinforced for optimum shelf performance. Ideal for reuse on logistic and storage circuits in manufacturing and distribution environments.

- Interchangeable and Reinforced runners for roller conveyors
- Reinforced for maximum shelf safety
- Shock-absorbers on the blocks
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 21,00 Kg. Units/Stack: 13 Units/Truck: 528

Measures in mm.: *1

Length	1.200	Width	800	Height	160
--------	-------	-------	-----	--------	-----

Loading capacity in kg.: *2

Dynamic	1.500	Static	5.000	Racking	1.000
---------	-------	--------	-------	---------	-------



Optional: logo, colour, lips, sticker area on the blocks, anti-slip pins/bands (top deck/runner base), material, RFID.

HEAVY DUTY PALLET 3 RUNNERS

Product: NPT-1210-H31

High load capacity and resistant pallet measuring 1200x1000 mm, suitable for handling all types of products. Ideal for reuse on logistic and storage circuits in manufacturing and distribution environments.

- Reinforced runners for roller conveyors
- High Racking allowance
- Shock-absorbers on the blocks
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black


Weight: 21,25 Kg. Units/Stack: 13 Units/Truck: 417

Measures in mm.: *1

Length	1.200	Width	1.000	Height	162
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.250	Static	5.000	Racking	800
---------	-------	--------	-------	---------	-----



Optional: logo, colour, lips, sticker area on the blocks, anti-slip pins/bands (top deck/runner base), material, RFID.

HEAVY DUTY PALLET 5 RUNNERS

Product: NPT-1210-H51

High load capacity and resistant industrial pallet measuring 1200x1000 mm, suitable for transporting a wide range of items. This product is widely used in the car industry, fruit and vegetable, meat and fish sectors, etc.

- Reinforced runners for roller conveyors
- High Racking allowance
- Shock-absorbers on the blocks
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 22,25 Kg. Units/Stack: 13 Units/Truck: 417

Measures in mm.: *1

Length	1.200	Width	1.000	Height	162
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.500	Static	5.000	Racking	1.000
---------	-------	--------	-------	---------	-------



Optional: logo, colour, lips, sticker area on the blocks, anti-slip pins/bands (top deck/runner base), material, RFID.

HEAVY DUTY PALLET 6 RUNNERS

Product: NPT-1210-H61

High load capacity and resistant pallet measuring 1200x1000 mm, developed especially for the mass storage requiring high performance levels. Thanks to the 'full perimeter' runners this product is ideal for stacking up to 4 pallets, and can take the highest load values.

- Reinforced runners for roller conveyors
- Anti-impact perimeter
- High Racking allowance
- Corners adapted for optimum wrapping
- Shock-absorbers on the blocks
- PP Black

Weight: 22,80 Kg. Units/Stack: 13 Units/Truck: 417

Measures in mm.: *1

Length	1.200	Width	1.000	Height	162
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	2.000	Static	5.000	Racking	1.200
---------	-------	--------	-------	---------	-------

Iconographic legend:



*1 Due to the characteristics of the materials recycled, the dimensions and the weight of the pallets may present certain tolerances. Dimension tolerances according DIN ISO 2768-V.

*2 The values indicated are approximate and are based on both practical experiences and ISO 8611 tests with a uniformly distributed standard load, distributed all over the pallet surface and at ambient temperature (20°C) for a specific time. Different load conditions produce different values that have to be checked at the customer's request. Any deterioration or breakage in the pallet may vary these results.

*Remark: The Producer does not hereby make, and hereby expressly disclaims, any representation or warranty as to the merchantability or fitness for a particular purpose of any products.

RUNNER 8060 RF1

Ref.: NPT-P-8060-RF1

Replacement runner for half pallet.

 Weight:
1,00 Kg.



RUNNER 8060 RF2

Ref.: NPT-P-8060-RF2

Replacement runner for half pallets low height.

 Weight:
0,90 Kg.



RUNNER 1280

Ref.: NPT-P-1280-LE1/LEP1/LE2/LEP2

Replacement runner for lightweight stackable pallet.

 Weight:
0,65 Kg.



LATERAL RUNNER 1280 R1/RF1

Ref.: NPT-PL-1280-R1/RF1

Replacement of lateral runner for repairable pallets.


 Weight:
2,60 Kg.



CENTRAL RUNNER 1280 R1/RF1

Ref.: NPT-PC-1280-R1/RF1

Replacement of lateral runner for repairable pallets.


 Weight:
3,35 Kg.



VISIT OUR WEB WWW.NORTPALET.COM

Visit our Online Shop and buy directly from factory at
www.nortpaletonline.com





Optional: logo, colour, lips, material.

LIGHTWEIGHT STACKABLE PALLET

Product: NPT-1210-LE1

Extremely lightweight stackable industrial pallet measuring 1200x1000 mm, designed especially to save space when empty. Recommended for air freight or transport charged per kg, it is the most economical of its range with just 6 kgs. No special treatment or health certificated needed.

- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black


Weight: 6,20 Kg. Units/Stack: 44 Units/Truck: 1.456

Measures in mm.: *1

Length	1.200	Width	1.000	Height	140
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	1.800	Racking	--
---------	-------	--------	-------	---------	----



Optional: logo, colour, lips, material.

LIGHTWEIGHT PALLET WITH RUNNERS

Product: NPT-1210-LEP1

Lightweight industrial pallet with runners, suitable for all types of products or bulk transportation and storage of goods. This product is especially recommended for one-way or export items, as it avoids difficulties related to health certificates and unnecessary administrative procedures. Racking allowed.

- Removable runners
- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 8,15 Kg. Units/Stack: 19 Units/Truck: 416*3


Measures in mm.: *1

Length	1.200	Width	1.000	Height	160
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.000	Static	1.800	Racking	400
---------	-------	--------	-------	---------	-----

*3 Units/Truck with disassembled runners: 1.110



Optional: logo, colour, lips, material.

CLOSED LIGHTWEIGHT STACKABLE PALLET

Product: NPT-1210-LE2

Extremely lightweight stackable pallet with a closed surface measuring 1200x1000 mm. Totally smooth hole-free surface, ideal for semi-hygienic applications. It is 68% lighter than conventional pallets, thereby cutting transport costs and making for easier handling. No special treatment or health certificated needed.

- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- Easy pallet extraction from tower
- PP Black


Weight: 7,60 kg Units/Stack: 44 Units/Truck: 1.456

Measures in mm.: *1

Length	1.200	Width	1.000	Height	140
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.200	Static	2.000	Racking	--
---------	-------	--------	-------	---------	----



Optional: logo, colour, lips, material.

CLOSED LIGHTWEIGHT PALLET WITH RUNNERS

Product: NPT-1210-LEP2

Closed Lightweight plastic pallet with runners measuring 1200x1000 mm. Totally smooth hole-free surface, ideal for semi-hygienic applications. Recommended for exporting all types of products or the bulk transportation and storage of goods. Racking allowed.

- Removable runners
- Anti-slip surface
- Special slot for straps
- Anti-impact perimeter
- Corners adapted for optimum wrapping
- PP Black

Weight: 9,60 kg Units/Stack: 19 Units/Truck: 416*3

Measures in mm.: *1

Length	1.200	Width	1.000	Height	160
--------	-------	-------	-------	--------	-----

Loading capacity in kg.: *2

Dynamic	1.200	Static	2.000	Racking	400
---------	-------	--------	-------	---------	-----

*3 Units/Truck with disassembled runners: 1.110