

**næco**  
PACKAGING



# TOGETHER WE CAN

BUILD A BETTER WORLD

If you are like us, if you have ambition to change things and you believe that, all together, it is possible. If you know that sustainability is the future and that we are owners of our actions, ¡Join our **Naeco Loves You** initiative!



## CORPORATE SOCIAL RESPONSIBILITY



### REDUCE

Know how much **CO<sub>2</sub>** equivalent you can reduce in your logistic activity with the use of our plastic pallets, crates and containers. **We help you to reduce your Carbon Footprint!**



### REFOREST

**With your help**, we will plant new forests that will contribute to absorb the **CO<sub>2</sub>** in our atmosphere. Join our challenge! **For every 35 tons of plastic** we manage to recycle, **we will plant 1 native and protected tree.**



### REWARDS

Buying our products, you are contributing to **the direct recycling** of plastic packagings. Discover with us your exact contribution with the environment and include this action in **your CSR plan!**



### REWIND

Thanks to our customer's awareness with **Zero Waste**, our products go back to their origin at the end of their useful life, preventing them from becoming new plastic waste. Sell us the plastic products you no longer use and join a true Circular Economy!


## DISCOVER WHAT WE HAVE ACHIEVED TOGETHER!

Thanks to **your collaboration** and the development of **environmentally** responsible actions, we are very close to achieve our goal: leave **a better world** for future generations.



**DO YOU WANT TO KNOW  
WHAT WE HAVE ACHIEVED  
SO FAR WITH YOUR HELP?**

## OUR SUSTAINABILITY ECOLABEL



↑ ISO 14021:2016

We are very proud to be the first manufacturer in our sector to launch the first **sustainability classification** for all our products.

Look out our **exclusive ecolabel** and know your contribution to the environment.



**DO YOU WANT  
TO KNOW MORE?**

# LIGHTWEIGHT PALLETS

BASIC 0604-O4



600x400x135 mm | 1,20 kg

700 250 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 0806-O6



800x600x135 mm | 2,90 kg

800 400 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 0806-O3



800x600x135 mm | 3,70 kg

800 400 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

RecyClass **100%** RECYCLED PLASTIC

BASIC 1208-O9



1200x800x140 mm | 5,00 kg

1500 1000 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1208-O3



1200x800x160 mm | 6,95 kg

1500 1000 300

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1208-C9



1200x800x140mm | 6,30 kg

2000 1000 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1208-C3



1200x800x160 mm | 8,25 kg

2000 1000 300

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1210-O9



1200x1000x140 mm | 6,15 kg

1800 1000 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1210-O3



1200x1000x160 mm | 8,15 kg

1800 1000 400

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1210-C9



1200x1000x140 mm | 8,00 kg

2000 1200 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1210-C3



1200x1000x160 mm | 10,00 kg

2000 1200 400

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

BASIC 1208/1210-R



0,65 kg

Icons: CE++, CPP, rPE, Reusable product

BASIC 1140-O9



1140x1140x140 mm | 9,70 kg

2500 1000 -

Icons: CE++, CPP, rPE, Open, Stacked, 4 ways, Straight bloc, Inclined bloc

## PALLETS CAPTION:



1. Product reference

2. Dimensions (mm) | Weight (kg)

3. Loads (kg)

4. Features

5. Ecolabel: Sustainability classification

6. Product image

7. Reusable product

8. Standard color

9. Material

1. Product reference

2. Dimensions (mm) | Weight (kg)

3. Loads (kg)

Static load

Dynamic load

Racking load

4. Features (see iconographic caption)

5. Ecolabel: Sustainability classification

6. Product image

7. Reusable product

8. Standard color (see colors caption)

9. Material (see iconographic caption)

## ICONOGRAPHIC CAPTION:

CPP 0° / 40° C

rPP 0° / 40° C

rPE -20° / 40° C

PP -20° / 40° C

PE -30° / 40° C

ESD 0° / 40° C

Open

Closed

Stacked

4 ways

2 ways

Repairable

Reinforced

Anti-slip runner bands

Anti-slip pins

Pins under board

Straight bloc

Inclined bloc

Special rims 7/22mm

Anti-slip stripes

Reusable product

## STANDARD COLOR CAPTION:



# MEDIUM PALLETS

LOGIC 0806-O3

CE+++



800x600x140 mm | 6,70 kg

▲ 1500 🚛 500 🏠 0



LOGIC 0806-R

CE++



0,90 kg



SMART 1208-O3

CE++



1200x800x160 mm | 14,40 kg

▲ 2000 🚛 1000 🏠 500



SMART<sup>MAX</sup> 1208-O3

CE++




1200x800x160 mm | 16,55 kg

▲ 2000 🚛 1000 🏠 1000



LOGIC 1208-G9

CE++



1200x800x150 mm | 10,80 kg

▲ 4000 🚛 1000 🏠 -



LOGIC 1208-G3

CE++



1200x800x150 mm | 12,20 kg

▲ 5000 🚛 1500 🏠 750



LOGIC<sup>PRO</sup> 1208-G9

CE++



1200x800x160 mm | 15,90 kg

▲ 6500 🚛 1750 🏠 -



LOGIC<sup>PRO</sup> 1208-G3

CE++



1200x800x160 mm | 17,50 kg

▲ 7500 🚛 2000 🏠 1000



LOGIC 1208-H1

CE++



1200x800x155 mm | 16,25 kg

▲ 5000 🚛 1250 🏠 650



MASTER 1208-O2

CE++



1200x800x150 mm | 12,00 kg

▲ 4000 🚛 1250 🏠 500



MASTER 1208-O3

CE++



1200x800x150 mm | 12,40 kg

▲ 5000 🚛 1500 🏠 600



FLAT 1208-C2

CE++



1200x800x150 mm | 13,55 kg

▲ 4000 🚛 1250 🏠 500



FLAT 1208-C3

CE++



1200x800x150 mm | 13,70 kg

▲ 5000 🚛 1500 🏠 750



LOGIC 1210-G9

CE++



1200x1000x150 mm | 11,10 kg

▲ 4000 🚛 1000 🏠 -



LOGIC 1210-G3

CE++



1200x1000x150 mm | 12,80 kg

▲ 5000 🚛 1250 🏠 700



LOGIC 1210-G5

CE++



1200x1000x150 mm | 13,60 kg

▲ 5500 🚛 1500 🏠 750



MASTER 1210-O3

CE++



1200x1000x150 mm | 14,4 kg

▲ 5000 🚛 1250 🏠 600



MASTER 1210-O5

CE++



1200x1000x150 mm | 15,30 kg

▲ 5500 🚛 1500 🏠 650



LOGIC<sup>PRO</sup> 1210-G9

CE++



1200x1000x160 mm | 17,70 kg

▲ 5000 🚛 1500 🏠 -



LOGIC<sup>PRO</sup> 1210-G3

CE++



1200x1000x160 mm | 19,50 kg

▲ 7000 🚛 2000 🏠 1000



LOGIC<sup>PRO</sup> 1210-G5

CE++



1200x1000x160 mm | 20,20 kg

▲ 7500 🚛 2250 🏠 1100



FLAT 1210-C3

CE++



1200x1000x150 mm | 16,20 kg

▲ 5000 🚛 1500 🏠 700



FLAT 1210-C5

CE++




1200x1000x150 mm | 16,90 kg

▲ 5500 🚛 1500 🏠 750



LOGIC 1311-G9

CE++



1300x1100x150 mm | 12,10 kg

▲ 4000 🚛 1000 🏠 -



LOGIC 1311-G3

CE++



1300x1100x150 mm | 13,70 kg

▲ 5000 🚛 1250 🏠 700



LOGIC 1311-G5

CE++



1300x1100x150 mm | 14,80 kg

▲ 5500 🚛 1500 🏠 750



LOGIC<sup>PRO</sup> 1311-G9

CE++



1300x1100x160 mm | 19,00 kg

▲ 5000 🚛 1500 🏠 -



LOGIC<sup>PRO</sup> 1311-G3

CE++



1300x1100x160 mm | 20,80 kg

▲ 7000 🚛 2000 🏠 1000



LOGIC<sup>PRO</sup> 1311-G5

CE++



1300x1100x160 mm | 22,00 kg

▲ 7500 🚛 2250 🏠 1100



# HEAVY DUTY PALLETS

EXPERT<sup>MAX</sup> 0806-O3

CE+++



800x600x160 mm | 9,20 kg

5000 1000 500



EXPERT<sup>MAX</sup> 0806-R

CE+++



1,00 kg



EXPERT 1208-O3

CE+++



1200x800x160 mm | 18,50 kg

6500 1500 1000



EXPERT<sup>MAX</sup> 1208-O3

CE+++



1200x800x160 mm | 21,00 kg

7500 1750 1200



EXPERT<sup>MAX</sup> 1208-CR

CE+++



3,35 kg

EXPERT<sup>MAX</sup> 1208-LR

CE+++



2,60 kg



MASTER<sup>MAX</sup> 1208-O2

CE++



1200x800x150 mm | 15,30 kg

4500 1250 1100



MASTER<sup>MAX</sup> 1208-O3

CE++



1200x800x150 mm | 15,70 kg

5500 1500 1200



EXPERT 1210-O3

CE++



1200x1000x162 mm | 21,00 kg

7000 1500 1000



EXPERT 1210-O5

CE++



1200x1000x162 mm | 22,30 kg

7500 1750 1100



EXPERT 1210-O6

CE++



1200x1000x162 mm | 22,80 kg

8000 2000 1250



MASTER<sup>MAX</sup> 1210-O3

CE++



1200x1000x150 mm | 17,90 kg

5500 1500 1200



MASTER<sup>MAX</sup> 1210-O3

CE++



1200x1000x150 mm | 20,00 kg

5500 1750 1200



MASTER<sup>MAX</sup> 1210-O5

CE++



1200x1000x150 mm | 18,60 kg

6000 1750 1250



MASTER<sup>MAX</sup> 1210-O5

CE++



1200x1000x150 mm | 20,70 kg

6000 2000 1250



# HYGIENIC PALLETS

CLEAN 1208-C9

CE+



1200x800x130 mm | 13,50 kg

5000 1000 -



CLEAN 1208-C3

CE+



1200x800x160 mm | 18,00 kg

5000 1000 1000



CLEAN<sup>MAX</sup> 1208-C3

CE+



1200x800x160 mm | 23,00 kg

7500 1750 1500



CLEAN 1208-H1

CE+



1200x800x160 mm | 18,00 kg

5000 1250 1000



CLEAN 1210-C9

CE+



1200x1000x130 mm | 15,50 kg

5000 1000 -



CLEAN 1210-C3

CE+



1200x1000x160 mm | 22,00 kg

5000 1250 1000



CLEAN<sup>MAX</sup> 1210-C3

CE+



1200x1000x160 mm | 27,00 kg

7500 1750 1500



CLEAN 1210-C5

CE+



1200x1000x160 mm | 22,00 kg

5000 1500 1250



CLEAN<sup>MAX</sup> 1210-C5

CE+



1200x1000x160 mm | 28,00 kg

7500 2000 1500



## OPTIONS:



Anti-slip pins



Anti-slip runner bands



Anti-slip stripes



QR, EAN printing and coding



Logo engraving



RFID, EAN tags



Customisable color

## EURONORM CRATES

### MEATCRATE 0604-12-E1

ce+

600x400x125 mm  
570x373x120 mm  
1,50 kg  
25 L



### MEATCRATE 0604-20-E2

ce+

600x400x200 mm  
570x373x195 mm  
2,00 kg  
40 L



### MEATCRATE 0604-30-E3

ce+

600x400x300 mm  
570x373x295 mm  
3,00 kg  
60 L



## THERMO CRATES

### ADIAPACK 0604-25-30

ce+

600x400x250 mm  
497x305x212 mm  
5,90 kg  
30 L



## CRATES AND CONTAINERS CAPTION:

**1** MEGA 1210-58-O4 **6**

**2** 1200x1000x580 mm  
1120x919x410 mm

**3** 24,48 kg  
456 L

**4** 4500 1000

**5**

**7**

**8** **9** **10**

### 1. Product reference

### 2. Dimensions

External (mm)  
 Internal (mm)

### 3. Specifications

Weight (kg)  
 Volume (litres)

### 4. Loads (Containers only)

Static load  
 Dynamic load  
 Racking load

### 5. Features (see iconographic caption)

### 6. Ecolabel: Sustainability classification

### 7. Product image

### 8. Reusable product

### 9. Standard color (see colors caption)

### 10. Material (see iconographic caption)

## ICONOGRAPHIC CAPTION:

rPP 0° / 40° C   rPE -20° / 40° C   PP -20° / 40° C   PE -30° / 40° C   ESD 0° / 40° C

Foldable   Stackable   Open Lateral   Closed Lateral   Open bottom   Closed bottom   Handles   Reusable product

## STANDARD COLORS CAPTION:



## RIGID CONTAINERS

### MEGA 1210-58-O4

ce+

1200x1000x580 mm  
1120x919x410 mm  
24,48 kg  
456 L



### MEGA 1210-58-O2

ce+

1200x1000x589 mm  
1120x919x410 mm  
27,36 kg  
456 L



### MEGA 1210-58-O3

ce+

1200x1000x589 mm  
1120x919x410 mm  
30,32 kg  
456 L



### MEGA 1210-78-O4

ce+

1200x1000x780 mm  
1120x919x610 mm  
31,70 kg  
676 L



### MEGA 1210-78-O2

ce+

1200x1000x789 mm  
1120x919x610 mm  
34,54 kg  
676 L



### MEGA 1210-78-O3

ce+

1200x1000x789 mm  
1120x919x610 mm  
37,24 kg  
676 L



### MEGA 1210-78-C4

ce+

1200x1000x780 mm  
1120x919x610 mm  
33,40 kg  
676 L



### MEGA 1210-78-C2

ce+

1200x1000x789 mm  
1120x919x610 mm  
36,24 kg  
676 L



### MEGA 1210-78-C3

ce+

1200x1000x789 mm  
1120x919x610 mm  
38,94 kg  
676 L



## FOLDABLE CONTAINERS

### PRIME 1208-80-C4

ce+

1200x800x800 mm  
1120x720x660 mm  
38,00 kg  
565 L



### PRIME 1208-80-C3

ce+

1200x800x805 mm  
1120x720x660 mm  
44,00 kg  
565 L



### PRIME 1208-97-C4

ce+

1200x800x973 mm  
1120x720x833 mm  
46,00 kg  
695 L



### PRIME 1208-97-C3

ce+

1200x800x978 mm  
1120x720x833 mm  
52,00 kg  
695 L



### PRIME 1210-80-C4

ce+


1200x1000x800 mm  
1120x920x660 mm  
44,00 kg  
720 L



### PRIME 1210-80-C3

ce+


1200x1000x805 mm  
1120x920x660 mm  
50,50 kg  
720 L



### PRIME 1210-97-C4

ce+


1200x1000x973 mm  
1120x920x833 mm  
52,20 kg  
905 L



### PRIME 1210-97-C3

ce+

1200x1000x978 mm  
1120x920x833 mm  
59,50 kg  
905 L



**LEGAL NOTICE:** Thanks to the intrinsic features of the materials, the dimensions and weight of the products can present certain tolerances. Dimensional tolerances in accordance with DIN ISO 2768-V. Weight tolerances: +/- 4%.

The values indicated are guidelines and are based both on practical experience and on ISO trials with a uniformly distributed standard load, apportioned homogeneously and over a specific length of time at room temperature (20°C [68°F]). Different load conditions produce different value, which must be checked following client request. Any deterioration, breakage or modification of the product can vary these results.

Naeco reserves the right to modify any information indicated herein with no prior notice.



packaging.naeco.com  
info@naeco.com



**HEADQUARTERS:**

Polígono Industrial La Florida, Parcela 45  
33950 Sotrondio, Asturias, Spain  
T. +34 985 678 461

**VALENCIA:**

Parque Tecnológico de Paterna  
C/ Ronda Narciso Monturiol y Estarriol, 17B  
46980 Paterna, Valencia, Spain  
T. +34 960 089 220

**FOLLOW US ON:**



Listen to us on  
**Spotify**



**CAN'T FIND  
THE PRODUCT YOU NEED?**

Contact us. At **NAECO RESEARCH** we are delighted to collaborate with you to transform your ideas into reality, contributing to more sustainable and environmentally friendly logistics. Together we can develop solutions that strengthen the circular economy to make a better world.

*Innovation for sustainability*



**WANT TO FIND OUT MORE?**

If you want to keep up to date with our latest upgrades, we recommend downloading the digital version of our catalogue.

